Rec'd PCT/PTO 20 MAY 2005

WO 2004/049207

10

15

20

PCT/IB2003/005285

10/535925° TO 10/535637

## METHOD AND SYSTEM FOR LINKING LEGACY DVD DISCS TO RELATED WEB

SITES

## **BACKGROUND OF THE INVENTION**

The invention relates generally to DVD players, and more particularly to WebDVD players that allow existing legacy DVD discs to be linked to related web sites.

WebDVD, also known as Internet DVD, online DVD, enhanced navigation (ENav) DVD, etc., is a powerful concept of enhancing DVD-Video with Internet technology. WebDVD combines the best of DVD with the best of the Internet, so that they nicely complement each other and find applications in many areas. For example, a WebDVD movie can be connected to the Internet for promotional deals, viewer discussion forums, multiplayer games, etc. A marketing disc can entice viewers with gorgeous video products backed up by web pages for on-the-spot purchases. The possibilities are endless. WebDVD titles take advantage of the timeliness of the Internet with automatic software updates, supplemental content as new information becomes available, updated links to related web pages, current news and events, and special offers of associated services and products, etc. Thus, even after the WebDVD disc leaves the hands of the developers, it can still be improved or refreshed. What would otherwise be a static medium becomes dynamic and renewable, extending the life of the product.

The DVD Forum, an industrial consortium (http://www.dvdforum.org), is now defining a standard for web contents linked to WebDVD-Video discs. It allows DVD-Video discs to include built-in web links to web sites that contain contents related to

the specific discs. The web sites may include new navigation menus for the player to download, so that the player can use them instead of the original DVD menus.

For existing legacy DVD-Video discs, however, it is not possible to have the enhanced contents provided on a web site and used in connection with the discs in the same way as for new WebDVD-Video discs. This would hinder and in fact prevent the high growth potentials of e-commerce activities in connection with playing the uncountable number of legacy discs by their owners.

5

10

15

20

25

Therefore, there is an urgent need to provide a WebDVD player that can locate a web site with contents related to an existing legacy DVD disc.

**SUMMARY OF THE INVENTION** 

The present invention provides a WebDVD player that can link legacy DVD discs to related web sites, in addition to playing normal WebDVD discs.

According to a first embodiment of the invention, the player includes a small database that contains a URL list of popular DVD content providers, e.g., AOL Time Warner, Walt Disney, etc. After the disc is loaded into the player, the player reads the provider unique identification (PVR\_ID) from the disc and uses the PVR\_ID to find the URL of the associated content provider from the URL list. The URL of the content provider is indexed to a table which contains a list of some popular title identifications (Title\_IDs) of the discs produced by the content provider, location of the Title\_ID on the disc, the method of deriving the Title\_ID, and the URL of a related web site. The player then attempts to derive the Title\_ID of the disc in accordance with the method specified in the table and compares the derived Title\_ID with the data in the Title\_ID column of the table to find the corresponding URL for locating the specific web pages of the content provider.

According to a second embodiment of the invention, a database similar to that in the player of the first embodiment is stored on a web server. This database

has more comprehensive lists of the URL links to the web sites of the content providers and their video titles for accessing by the player. In the this embodiment, after the disc is loaded into the player, the player reads the PVR\_ID and the Title\_ID from the disc and links the disc to a source web site containing the database which may be provided by the player manufacturer or some other organization (e.g., DVD Forum) for searching a match.

A third embodiment of the invention combines the first and second embodiments. After the disc is loaded into the player, the player first refers to its internal database to find a matching Title\_ID. If it cannot be found, the player will access the source web site to find the matching Title\_ID.

10

15

Other objects and attainments together with a fuller understanding of the invention will become apparent and appreciated by referring to the following description and claims taken in conjunction with the accompanying drawings.

## **BRIEF DESCRIPTION OF THE DRAWINGS**

The invention is explained in further detail, and by way of example, with reference to the accompanying drawings wherein:

- FIG. 1 illustrates a connection between a WebDVD player to the Internet according to an embodiment of the invention;
- 20 FIG. 2 illustrates a detailed process of locating a related web site for a particular disc according to a first embodiment of the invention; and
  - FIG. 3 illustrates a detailed process of locating a related web site for a particular disc according to a second embodiment of the invention.

Throughout the drawings, the same reference numerals indicate similar or corresponding features or functions.

## **DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS**

FIG. 1 illustrates a connection between a WebDVD player 10 to the Internet according to an embodiment of the invention. As illustrated, a DVD-Video disc 20 can be inserted into a WebDVD player 10 to interact with related web sites on a web server 25. Player 10 may also be implemented in other forms, e.g., a PC, etc. Disc 20 may be either a WebDVD-Video disc or an existing legacy DVD-Video disc. In order to link a legacy DVD-Video disc to a related web site, player 10 makes use of a PVR\_ID (Provider Unique ID) of the disc that uniquely identifies the content provider of the disc and a title ID (Title\_ID) of the disc that uniquely identifies a specific title of the disc (e.g., a movie).

A PVR\_ID is present on every legacy DVD-Video disc and is located in a VMGI\_MAT (Video Manager Information Management Table) data structure, as illustrated in Table 1.

Table 1: Partial Data Structure of VMGI\_MAT

Relative byte position in data structure	Contents	Number of bytes
0 to 11	VMG_ID (VMG Identifier)	12
•••		
64 to 95	PVR_ID (Provider unique ID)	32
•••		

The VMGI\_MAT contains control data for DVD video. The PVR\_ID is described with 32 bytes using the character set code of ISO646. When PVR\_ID is less than 32 bytes, 00h will be described in the unused area.

The Title\_ID, however, is not defined in the DVD-Video standards, but can be made available in several ways. One way is to use a unique serial number located in the BCA (Burst Cutting Area) available in some legacy DVD-Video discs. Alternatively, the Volume Set ID in the UDF (Universal Disc Format) file system of the disc may be used as the Title\_ID. Another way is to use a unique Title\_ID stored by the content provider in a data sector of the disc that contains private data. There are a number of places in the data structure of the disc where the content provider can store their own information including the unique Title\_ID. For example, the lead-in area for storing the content provider information may be used for such purpose. A third way is to use a generated Title\_ID. In this approach, a statistically unique Title\_ID is generated from certain information on the disc. For example, the information in VMGI\_MAT may be used to generate the Title\_ID of a disc, as will be described in detail later. Using this approach ensures the availability of the title IDs in all existing legacy discs.

In a first embodiment of the invention, player 10 includes a small database that contains a URL list of popular DVD content providers, e.g., AOL Time Warner, Walt Disney, etc. After disc 20 is loaded into player 10, the player reads the PVR\_ID from the disc and uses the PVR\_ID to find the URL of the associated content provider from the URL list. The URL is indexed to a table which contains a list of some popular Title\_IDs produced by the content provider, location of the Title\_ID on the disc, the method of deriving the Title\_ID, and the corresponding URL of the related web site, as illustrated in Table 2. Player 10 then attempts to derive the Title\_ID of the disc based on the data in the location and deriving method columns in the Table 2 and compares the derived Title\_ID with the data in the Title\_ID column to find the corresponding URL for locating the specific web pages.

Table 2 Exemplary Format of a Small Database in the Player

10

15

20

25

Title_ID	Location	Deriving Method	Algorithm Type	URL of Related Web Site
0110101	BCA	Read	N/A	www.aoltw.com

1011100	VMGI_MAT	Generate ID	Type 2	www.disney.com
	•••		•••	

5

10

15

20

25

In Table 2, the location of the Title\_ID may be in BCA, a data sector containing private data, VMGI\_MAT, or other places in the data structure of the disc. The deriving method column specifies a method of deriving the Title\_ID, e.g., read the Title\_ID directly from a specific location of the disc or use a particular algorithm, as indicated in the algorithm type column, to generate the Title\_ID. A list of algorithms corresponds to those algorithm types in Table 2 is pre-stored in the player, so that the player can use the indicated algorithm and the relevant data to compute and generate the Title\_ID. The URL of related web site column indicates the corresponding URL. For example, if the location column indicates "BCA" and the deriving method column indicates "Read", player 10 will try to read the BCA from the disc to find its Title\_ID. However, not every DVD has BCA and also not every DVD player can read BCA. In this case, alternative method such as "Generate ID" may be used. In such case, player 10 will try to use the indicated algorithm to generate the Title\_ID based on the information in the specified location (e.g., VMGI\_MAT). There are many methods to generate the Title\_ID. One way is to use a method similar to that in the CD-DB (CD Database) that links CDs to a service web site, utilizing the starting and ending addresses of the title sets or chapters to compute and generate the Title\_ID. Another way is to use the information in the VMGI\_MAT to generate the Title\_ID. For example, the data in all fields of VMGI\_MAT can be added together and the sum can be divided by a particular number to generate the Title\_ID.

FIG. 2 illustrates a detailed process 30 of locating a related web site for a particular disc according to the first embodiment of the invention. After a disc is loaded into the player (step 32), the player detects whether the disc loaded is a WebDVD from the file system of the disc (step 34). If it is a WebDVD, the player

links the disc to the related web site in accordance with the WebDVD standard adopted by the DVD Forum (step 36), and starts the WebDVD navigation (step 38).

On the other hand, if the disc is a legacy DVD, player 10 reads the PVR\_ID from the disc to determine the associated content provider (step 40) and searches through the URL list in the database of the player (step 42) to find a corresponding URL of the content provider (step 44). If the URL is not in the list, player 10 will play the disc in a conventional manner by starting the conventional DVD-Video mode (step 46). If, however, the corresponding URL is found from the list, the URL is indexed to the table illustrated in Table 2. Then player 10 will load a first entry of the table that is associated with the URL into a memory of the player (step 48) and attempts to derive the Title\_ID from the disc based on the information from the location, deriving method and algorithm type columns in that entry (step 50).

5

10

15

20

25

After the Title\_ID of the disc is derived, it is compared with the data in the Title\_ID column of the entry (step 52) to determine if there is a match (step 54). If there is a match, player 10 will retrieve the URL data in the URL column of the entry and use the URL data to link the disc to the corresponding web pages of the content provider (step 58) and start the WebDVD navigation (step 60). If, however, the derived Title\_ID does not match the data in the Title\_ID column of the entry, player 10 will determine whether the entry is the last one in the list (step 62). If so, the player will link the disc to the general web site of the content provider using the URL already found (step 64) and search for the specific URL for the disc in a similar manner as described above (step 66). The general web site would contain a table similar to Table 2. Whether the specific URL is found is next determined (step 68). If the specific URL is found, the player will link the disc to the specific URL (step 58) and start the WebDVD navigation (step 60). However, if it is not found, the player will play the disc in the conventional way (step 46).

In a variation of the first embodiment, if the player cannot find the PVR\_ID from the disc, the player will simply load one entry of the table into the memory and attempt to derive the Title\_ID of the disc based on the data in the location, deriving

method and algorithm type columns. The player then determines whether the derived Title\_ID matches with the data in the Title\_ID column of the entry. The subsequent operations are the same as those in the first embodiment.

According to a second embodiment of the invention, a database similar to that in the player of the first embodiment is stored on a web server. This database has more comprehensive lists of the URL links to the web sites of the content providers and their video titles for accessing by the player. In the this embodiment, after disc 20 is loaded into player 10, the player reads the PVR\_ID and the Title\_ID from the disc and links the disc to a source web site containing the database which may be provided by the player manufacturer or some other organization (e.g., DVD Forum) for searching a match.

5

10

15

20

25

FIG. 3 illustrates a detailed process 70 of locating a related web site of a particular disc according to the second embodiment of the invention. After a disc is loaded into the player (step 72), the player detects whether the disc loaded is a WebDVD from the file system of the disc (step 74). If it is a WebDVD, the player links the disc to the related web site in accordance with the WebDVD standard adopted by the DVD Forum (step 76), and start the WebDVD navigation (step 78).

On the other hand, if the disc is a legacy DVD, player 10 reads the PVR\_ID (step 80) and derives the Title\_ID from the disc (step 81). The Title\_ID is derived in a default manner, e.g., by reading a particular location on the disc, such as BCA. The player links the disc to the source web site (step 82) for searching the corresponding URL from the comprehensive database, based on the PVR\_ID and Title\_ID (step 84). If the URL is found, player 10 will link the disc to the corresponding web site (step 86) and start the WebDVD navigation (step 88). If the URL is not found, it could mean that the Title\_ID derived in the default manner is incorrect. Then player 10 will obtain the information about the location, deriving method of the Title\_ID and algorithm type from a first entry in a table on the web site that is similar to Table 2 (step 90).

The player then attempts to derive the Title\_ID of the disc according to the location, deriving method and algorithm type indicated by the first entry of the table (step 92). After deriving the Title\_ID of the disc, player 10 will use the PVR\_ID and Title\_ID just derived to search for a corresponding URL from the database on the web site (step 94) to determine if a match is found (step 96). If the URL is found, player 10 will link the disc to the corresponding web site (step 98), and start the WebDVD navigation (step 100). However, if the URL is not found, a determination of whether the entry is the last one in the table is made (step 102). If it is, it means that the disc is not supported by the web site and player 10 will play the disc in a conventional manner by starting the conventional DVD-Video mode (step 104). If it is not, steps 90, 92, 94 and 96 will be repeated, along with steps 98 and 100 if applicable until either a match is found or all entries in the list have been examined.

5

10

15

20

25

A third embodiment of the invention combines the first and second embodiments of the invention as described above. In the third embodiment, the player contains a list of the popular content providers in a small database to allow a preliminary search of a corresponding URL. If after searching through this database no match is found, the source web site will be accessed by the player for conducting a more comprehensive search. The flowchart diagram for the third embodiment of the invention is based on that in FIG. 2, except that if the URL is not found at step 44, steps 81 through 104 in FIG. 3 will be implemented.

In the third embodiment above, the database in the player may be periodically updated with new information from the source web site. Also, the player may cache the addresses of the specific web sites once they are accessed and delete old addresses not recently accessed so that when the disc is played next time, the contents will be loaded faster. Further, users may even manually update the database with new web site addresses.

In the above, DVD-Video discs have been described in connection with the invention. The same principles of the invention can be applied to other types of discs, e.g., DVD-Audio discs and Super Audio CDs (SACDs).

While the invention has been described in conjunction with specific embodiments, it is evident that many alternatives, modifications and variations will be apparent to those skilled in the art in light of the foregoing description. Accordingly, it is intended to embrace all such alternatives, modifications and variations as fall within the spirit and scope of the appended claims.

5